ARC Marine Teak Oil

25.05.2016

11-10-2017

Trade name :

Print date :

Revision date :



4.0.0 (3.0.0)

Version (Revision) :

SEC	CTION 1: Identification of the substance/mixture and of the company/ undertaking	J
1.1	Product identifier	
	ARC Marine Teak Oil (6200)	
1.2		
	Relevant identified uses	
	Product Categories [PC]	
	PC9A - Coatings and paints, thinners, paint removers	
1.3		
	Supplier (manufacturer/importer/only representative/downstream	
	user/distributor) ARC Marine	
	Street : Zeilweg 28	
	Postal code/city: 2843 PK Lelystad	
	Telephone : +31 (0)320 260 602	
1.4	Emergency telephone number	
1.4	Emergency telephone number +31 (0)344 63 33 36	
	Nationaal Vergiftingen Informatie Centrum Tel.nr. 030-2748888 (Uitsluitend voor een behandeld arts bij vergiftigir	ng)
SEC	CTION 2: Hazards identification	
	Classification according to Regulation (EC) No 1272/2008 [CLP] None	
2.2		
	Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures	
	EUH208 Contains HYDROCARBONS - TERPENE ; COBALT BIS(2-ETHYLHEXANOATE).May produce allergic reaction.	e an
	EUH210 Safety data sheet available on request.	
2.3	Other hazards	
	None	
SEC	CTION 3: Composition/information on ingredients	
3.2		
	Hazardous ingredients	
	TERPINEOL ; REACH registration No. : 01-2119553062-49 ; EC No. : 232-268-1; CAS No. : 8000-41-7 Weight fraction : $\geq 1 - < 2,5 \%$	
	Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319	
	Additional information	
	Full text of H- and EUH-phrases: see section 16.	
3.3		
	All ingredients of this mixture are (pre)registered according to REACH regulation.	
	Page: 1 / 7	N/NL)
		• / INL ,



Trade name :
Revision date :
Print date :

ARC Marine Teak Oil 25.05.2016 11-10-2017

Version	(Revision) :
	(100101011)1

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Do not wash with: Solvents/Thinner

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam Extinguishing powder Carbon dioxide (CO2) Sand Water mist

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4 Additional information

Burning produces heavy smoke. Do not allow run-off from fire-fighting to enter drains or water courses. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols. See protective measures under point 7 and 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up For cleaning up



Trade name :	ARC Marine Teak Oil		
Revision date :	25.05.2016	Version (Revision) :	4.0.0 (3.0.0)
Print date :	11-10-2017		

Treat the recovered material as prescribed in the section on waste disposal. Clean with detergents. Avoid solvent cleaners.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling



Protective measures

Only use the material in places where open light, fire and other flammable sources can be kept away. Wear personal protection equipment (refer to section 8). If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Measures to prevent fire

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours can form explosive mixtures with air. Product is a/contains drying oil. Materials with drying oil can self-ignite by overheating: Let cloths and rags dry unfolded or soak with water.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Ensure adequate ventilation of the storage area. Restrict access to stockrooms.

Hints on joint storage

Keep away from

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protection equipment

Eye/face protection



Eye glasses with side protection

Skin protection

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Hand protection

Page : 3 / 7



Trade name : Revision date : Print date : ARC Marine Teak Oil 25.05.2016 11-10-2017

Version (Revision) :

4.0.0 (3.0.0)



PVC (Polyvinyl chloride) PE (polyethylene) NR (natural rubber, natural latex) DIN EN 374 Thickness of the glove material => 0,4 mm Breakthrough time (maximum wearing time) > 30 min

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour :yellow-orangeOdour :Characteristic.

Appearance : liquid

Safety relevant basis data

Melting point/melting range :			No data available		
Initial boiling point and boiling range :	(1013 hPa)	>	300	°C	
Decomposition temperature :	(1013 hPa)		Not determined		
Flash point :		>	250	°C	CC
Ignition temperature :			Not determined		
Lower explosion limit :			Not determined		
Upper explosion limit :			Not determined		
Density :	(20 °C)	approx.	0,946	g/cm ³	
Water solubility :	(20 °C)		Not determined		
pH :			not applicable		
log P O/W :			not determined		
Viscosity :	(20 °C)		Not determined		
Odour threshold :			not determined		
Evaporation rate :			not determined		
Oxidising liquids :	Not determined.				
Other information					

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability No information available.

- **10.3 Possibility of hazardous reactions** No information available.
- 10.4 Conditions to avoid

No information available.

10.5 Incompatible materials No information available.

10.6 Hazardous decomposition products No information available.



Trade name :
Revision date :
Print date :

ARC Marine Teak Oil 25.05.2016 11-10-2017

4.0.0 (3.0.0)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects Acut

Acute effects	
Acute oral toxicity	
Parameter :	LD50 (TERPINEOL ; CAS No. : 8000-41-7)
Exposure route :	Oral
Species :	Mouse
Effective dose :	5420 mg/kg
Parameter :	LD50 (TERPINEOL ; CAS No. : 8000-41-7)
Exposure route :	Oral
Species :	Rat
Effective dose :	4300 mg/kg
Acute dermal toxicity	
Parameter :	LD50 (TERPINEOL ; CAS No. : 8000-41-7)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 3000 mg/kg
dditional information	

11.5 Additional information

The statement is derived from the properties of the single components.

SECTION 12: Ecological information

12.1 Toxicity

No information available.

- 12.2 Persistence and degradability No information available.
- 12.3 Bioaccumulative potential No information available.

12.4 Mobility in soil

No information available.

- 12.5 Results of PBT and vPvB assessment No information available.
- 12.6 Other adverse effects No information available.

12.7 Additional ecotoxicological information

Additional information

Product should not be released into water without pre-treatment (biological sewage plant).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Waste treatment options

Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. The generation of waste should always as far as possible be avoided, or be limited to a minimum. Disposal of this product,



Trade name :	ARC Marine Teak Oil		
Revision date :	25.05.2016	Version (Revision) :	4.0.0 (3.0.0)
Print date :	11-10-2017		

solutions and any by-products should at all times be in accordance with applicable legislation in the field of environmental protection and waste disposal legislation and any other regional or local regulations.

SECTION 14: Transport information

14.1 UN number

No dangerous goods in sense of this transport regulation.

14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

- 14.4 Packing group No dangerous goods in sense of this transport regulation.
- 14.5 Environmental hazards No dangerous goods in sense of this transport regulation.
- 14.6 Special precautions for user
 - None

None

SECTION 15: Regulatory information

- ^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture ' 02. Label elements ' 03. Hazardous ingredients

- 16.2 Abbreviations and acronyms None
- 16.3 Key literature references and sources for data
- ^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

Causes skin irritation.

Causes serious eye irritation.

16.6 Training advice

None

H315

H319

16.7 Additional information

None



Trade name :
Revision date :
Print date :

ARC Marine Teak Oil 25.05.2016 11-10-2017

Version (Revision) :

4.0.0 (3.0.0)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storag